

Publication list 2010

Prof. F. Mach

1. Fontana P, Berdagué P, Castelli C, Nolli S, Barazer I, Fabbro-Peray P, Schved JF, Bounameaux H, **Mach F**, DE Moerloose P, Reny JL. Clinical predictors of dual aspirin and clopidogrel poor responsiveness in stable cardiovascular patients from the ADRIE study. *J Thromb Haemost.* 2010 Dec;8(12):2614-23.
2. **Mach F**, Vogt P. [The rhythm of cardiology]. *Rev Med Suisse.* 2010 Jun 2;6(251):1107.
3. Vuilleumier N, Rossier MF, Pagano S, Python M, Charbonney E, Nkoulou R, James R, Reber G, **Mach F**, Roux-Lombard P. Anti-apolipoprotein A-1 IgG as an independent cardiovascular prognostic marker affecting basal heart rate in myocardial infarction. *Eur Heart J.* 2010 Apr;31(7):815-23.
4. Delattre BM, Braunersreuther V, Hyacinthe JN, Crowe LA, **Mach F**, Vallée JP. Myocardial infarction quantification with Manganese-Enhanced MRI (MEMRI) in mice using a 3T clinical scanner. *NMR Biomed.* 2010 Jun;23(5):503-13.
5. van der Harst P, Slart RH, Tio RA, Dunselman PH, Willemsen AT, van den Heuvel AF, Voors AA, van Veldhuisen DJ; CORONA Study Group. Effects of rosuvastatin on coronary flow reserve and metabolic mismatch in patients with heart failure (from the CORONA Study). *Am J Cardiol.* 2010 Feb 15;105(4):517-21.
6. Grosgrain O, Plojoux J, Keller PF, Niquille M, N'koulou R, **Mach F**, Sarasin FP, Rutschmann OT. Prehospital emergency physician activation of interventional cardiology team reduces door-to-balloon time in ST-elevation myocardial infarction. *Swiss Med Wkly.* 2010 Apr 17;140(15-16):228-32.
7. Montet-Abou K, Daire JL, Hyacinthe JN, Jorge-Costa M, Grosdemange K, **Mach F**, Petri-Fink A, Hofmann H, Morel DR, Vallée JP, Montet X. In vivo labelling of resting monocytes in the reticuloendothelial system with fluorescent iron oxide nanoparticles prior to injury reveals that they are mobilized to infarcted myocardium. *Eur Heart J.* 2010 Jun;31(11):1410-20.

8. Lorgelly PK, Briggs AH, Wedel H, Dunselman P, Hjalmarson A, Kjekshus J, Waagstein F, Wikstrand J, Jánosi A, van Veldhuisen DJ, Barrios V, Fonseca C, McMurray JJ; CORONA Study Group. An economic evaluation of rosuvastatin treatment in systolic heart failure: evidence from the CORONA trial. *Eur J Heart Fail.* 2010 Jan;12(1):66-74.
9. Braunersreuther V, Pellieux C, Pelli G, Burger F, Steffens S, Montessuit C, Weber C, Proudfoot A, **Mach F**, Arnaud C. Chemokine CCL5/RANTES inhibition reduces myocardial reperfusion injury in atherosclerotic mice. *J Mol Cell Cardiol.* 2010 Apr;48(4):789-98.

Prof. D. Shah

1. **Shah D.** Filamentous thrombi during left-sided sheath-assisted catheter ablations. *Europace*. 2010 Dec;12(12):1657-8.
2. Park CI, **Shah D.** [Long-term pursuit of endurance sport: a new risk factor for atrial fibrillation?]. *Rev Med Suisse*. 2010 Jun 2;6(251):1122, 1124-6.
3. **Shah DC**, Lambert H, Nakagawa H, Langenkamp A, Aeby N, Leo G. Area under the real-time contact force curve (force-time integral) predicts radiofrequency lesion size in an in vitro contractile model. *J Cardiovasc Electrophysiol*. 2010 Sep;21(9):1038-43.
4. **Shah D.** Pulmonary vein isolation with the pulmonary vein ablation catheter (PVAC): is there a price to pay for a 'simpler', shorter procedure? *Europace*. 2010 Apr;12(4):455-7.

Prof. M. Beghetti

1. Raeis V, Philip-Couderc P, Roatti A, Habre W, Sierra J, Kalangos A, **Beghetti M**, Baertschi AJ. Central venous hypoxemia is a determinant of human atrial ATP-sensitive potassium channel expression: evidence for a novel hypoxia-inducible factor 1alpha-Forkhead box class O signaling pathway. *Hypertension*. 2010 May;55(5):1186-92.
2. Fraisse A, Jais X, Schleich JM, di Filippo S, Maragnès P, **Beghetti M**, Gressin V, Voisin M, Dauphin C, Clerson P, Godart F, Bonnet D. Characteristics and prospective 2-year follow-up of children with pulmonary arterial hypertension in France. *Arch Cardiovasc Dis*. 2010 Feb;103(2):66-74.
3. Tissières P, Myers P, **Beghetti M**, Berner M, Rimensberger PC. Surfactant use based on the oxygenation response to lung recruitment during HFOV in VLBW infants. *Intensive Care Med*. 2010 Jul;36(7):1164-70.
4. von Ungern-Sternberg BS, Habre W, Regli A, Pache JC, Fontao F, Janosi TZ, **Beghetti M**, Peták F. Precapillary pulmonary hypertension leads to reversible bronchial hyperreactivity in rats. *Exp Lung Res*. 2010 Apr;36(3):129-39.
5. Haworth SG, **Beghetti M**. Assessment of endpoints in the pediatric population: congenital heart disease and idiopathic pulmonary arterial hypertension. *Curr Opin Pulm Med*. 2010 May;16 Suppl 1:S35-41.
6. Maggio AB, Hofer MF, Martin XE, Marchand LM, **Beghetti M**, Farpour-Lambert NJ. Reduced physical activity level and cardiorespiratory fitness in children with chronic diseases. *Eur J Pediatr*. 2010 Oct;169(10):1187-93.
7. **Beghetti M**. Fontan and the pulmonary circulation: a potential role for new pulmonary hypertension therapies. *Heart*. 2010 Jun;96(12):911-6.
8. Tissot C, Ivy DD, **Beghetti M**. Medical therapy for pediatric pulmonary arterial hypertension. *J Pediatr*. 2010 Oct;157(4):528-32.
9. Baumgartner H, Bonhoeffer P, De Groot NM, de Haan F, Deanfield JE, Galie N, Gatzoulis MA, Gohlke-Baerwolf C, Kaemmerer H, Kilner P, Meijboom F, Mulder BJ, Oechslin E, Oliver JM, Serraf A, Szatmari A, Thaulow E, Vouhe PR, Walma E, Vahanian A, Auricchio A, Bax J, Ceconi C, Dean V, Filippatos G, Funck-Brentano C, Hobbs R, Kearney P, McDonagh T, Popescu BA, Reiner Z, Sechtem U, Sirnes PA, Tendera M, Vardas P, Widimsky P, McDonagh T, Swan L, Andreotti F, **Beghetti M**,

Borggrefe M, Bozio A, Brecker S, Budts W, Hess J, Hirsch R, Jondeau G, Kokkonen J, Kozelj M, Kucukoglu S, Laan M, Lionis C, Metreveli I, Moons P, Pieper PG, Pilosoff V, Popelova J, Price S, Roos-Hesselink J, Uva MS, Tornos P, Trindade PT, Ukkonen H, Walker H, Webb GD, Westby J; Task Force on the Management of Grown-up Congenital Heart Disease of the European Society of Cardiology (ESC). ESC Guidelines for the management of grown-up congenital heart disease (new version 2010). *Eur Heart J*. 2010 Dec;31(23):2915-57.

10. Trigona B, Aggoun Y, Maggio A, Martin XE, Marchand LM, **Beghetti M**, Farpour-Lambert NJ. Preclinical noninvasive markers of atherosclerosis in children and adolescents with type 1 diabetes are influenced by physical activity. *J Pediatr*. 2010 Oct;157(4):533-9.
11. Maggio AB, Ferrari S, Kraenzlin M, Marchand LM, Schwitzgebel V, **Beghetti M**, Rizzoli R, Farpour-Lambert NJ. Decreased bone turnover in children and adolescents with well controlled type 1 diabetes. *J Pediatr Endocrinol Metab*. 2010 Jul;23(7):697-707.
12. Christenson JT, Sierra J, Colina Manzano NE, Jolou J, **Beghetti M**, Kalangos A. Homografts and xenografts for right ventricular outflow tract reconstruction: long-term results. *Ann Thorac Surg*. 2010 Oct;90(4):1287-93.
13. **Beghetti M**, Tissot C. Pulmonary hypertension in congenital shunts. *Rev Esp Cardiol*. 2010 Oct;63(10):1179-93.
14. Schulze-Neick I, **Beghetti M**. Issues related to the management and therapy of paediatric pulmonary hypertension. *Eur Respir Rev*. 2010 Dec 1;19(118):331-9.

Prof. M. Roffi

1. Baumgartner C, **Roffi M**, Perrier A, Carballo S. [Stable and asymptomatic coronary heart disease: a new paradigm]. *Rev Med Suisse*. 2010 Oct 20;6(267):1951-4, 1956.
2. Thalhammer C, Joerg GR, **Roffi M**, Husmann M, Pfammatter T, Amann-Vesti BR. Endovascular treatment of Angio-Seal-related limb ischemia--primary results and long-term follow-up. *Catheter Cardiovasc Interv*. 2010 May 1;75(6):823-7.
3. **Roffi M**, Sievert H, Gray WA, White CJ, Torsello G, Cao P, Reimers B, Mathias K, Setacci C, Schönholz C, Clair DG, Schillinger M, Grunwald I, Bosiers M, Abou-Chebl A, Moussa ID, Mudra H, Iyer SS, Scheinert D, Yadav JS, van Sambeek MR, Holmes DR, Cremonesi A. Carotid artery stenting versus surgery: adequate comparisons? *Lancet Neurol*. 2010 Apr;9(4):339-41; author reply 341-2.
4. Fontana P, Bonvini RF, **Roffi M**, Boehlen F, Reber G, de Moerloose P, Reny JL. [Evaluating the biological efficacy of clopidogrel: genotype or phenotype?]. *Rev Med Suisse*. 2010 Feb 10;6(235):302-5.
5. **Roffi M**. Peripheral arterial disease. Current evidence for carotid endarterectomy and carotid artery stenting. *Heart*. 2010 Apr;96(8):636-42.
6. **Roffi M**, Narata AP, Pereira VM. [AVC: surgery or carotid stents?]. *Rev Med Suisse*. 2010 Mar 17;6(240):596-7; author reply 597.
7. Wyss CA, Neidhart M, Altwegg L, Spanaus KS, Yonekawa K, Wischnowsky MB, Corti R, Kucher N, **Roffi M**, Eberli FR, Amann-Vesti B, Gay S, von Eckardstein A, Lüscher TF, Maier W. Cellular actors, Toll-like receptors, and local cytokine profile in acute coronary syndromes. *Eur Heart J*. 2010 Jun;31(12):1457-69.
8. Kummer O, **Roffi M**, Marti G, Mach F. [Clopidogrel and its salts: any clinical implication?]. *Rev Med Suisse*. 2010 Jun 2;6(251):1127-8, 1130-2.
9. Di Mario C, Boehm M, Dudek D, Eeckhout E, **Roffi M**. The Show is Over: time to start preparing the new one. *EuroIntervention*. 2010 Nov;6(5):555-9.
10. **Roffi M**. Is there a role for revascularisation in asymptomatic carotid stenosis? Yes. *BMJ*. 2010 Sep 15;341:c4898.
11. **Roffi M**, Cremonesi A. Carotid artery stenting versus endarterectomy for carotid stenosis. *Lancet*. 2010 Jul 31;376(9738):327; author reply 327-8.

Dr. P.F. Keller

1. **Keller PF**, Carballo D, Roffi M. Diabetes and acute coronary syndrome. *Minerva Med.* 2010 Apr;101(2):81-104.
2. CURRENT-OASIS 7 Investigators, Mehta SR, Bassand JP, Chrolavicius S, Diaz R, Eikelboom JW, Fox KA, Granger CB, Jolly S, Joyner CD, Rupprecht HJ, Widimsky P, Afzal R, Pogue J, Yusuf S. Dose comparisons of clopidogrel and aspirin in acute coronary syndromes. *N Engl J Med.* 2010 Sep 2;363(10):930-42.
3. Radovanovic D, Urban P, Simon R, Schmidli M, Maggiorini M, Rickli H, Stauffer JC, Seifert B, Gutzwiller F, Erne P; AMIS Plus Investigators. Outcome of patients with acute coronary syndrome in hospitals of different sizes. A report from the AMIS Plus Registry. *Swiss Med Wkly.* 2010 May 29;140(21-22):314-22.
4. Grosgrin O, Plojoux J, **Keller PF**, Niquille M, N'koulou R, Mach F, Sarasin FP, Rutschmann OT. Prehospital emergency physician activation of interventional cardiology team reduces door-to-balloon time in ST-elevation myocardial infarction. *Swiss Med Wkly.* 2010 Apr 17;140(15-16):228-32.
5. Cuculi F, Radovanovic D, Pedrazzini G, Regli M, Urban P, Stauffer JC, Erne P; AMIS Plus Investigators. Is pretreatment with Beta-blockers beneficial in patients with acute coronary syndrome? *Cardiology.* 2010;115(2):91-7.

Dr. H. Burri

1. **Burri H**, Domenichini G, Sunthorn H, Fleury E, Stettler C, Foulkes I, Shah D. Right ventricular systolic function and cardiac resynchronization therapy. *Europace*. 2010 Mar;12(3):389-94.
2. **Burri H**. Paced QRS morphology for confirming septal pacemaker lead implantation: correction of a misconception. *Europace*. 2010 Dec;12(12):1660-1.
3. **Burri H**, Quesada A, Ricci RP, Boriani G, Davinelli M, Favale S, Da Costa A, Kautzner J, Moser R, Navarro X, Santini M. The MOnitoring Resynchronization dEVICES and CARdiac patiEnts (MORE-CARE) study: rationale and design. *Am Heart J*. 2010 Jul;160(1):42-8.
4. Ruitter JH, Mulder E, Schuchert A, **Burri H**, Stühlinger MC, Hartikainen J, Sermasi S, Vlasínová J, Mairesse GH, Bub E, Lewalter T; T-STAR Study Group. The feasibility of fully automated pacemaker advice in treating atrial tachyarrhythmias. *Pacing Clin Electrophysiol*. 2010 May;33(5):605-14.
5. Conti L, Tran N, **Burri H**, Zimmermann M. Failure of an implantable cardioverter defibrillator to terminate ventricular tachycardia: why? *Pacing Clin Electrophysiol*. 2010 Feb;33(2):228-30.

Dr. H Sunthorn

1. Burri H, Domenichini G, **Sunthorn H**, Fleury E, Stettler C, Foulkes I, Shah D. Right ventricular systolic function and cardiac resynchronization therapy. *Europace*. 2010 Mar;12(3):389-94.

Dr. T.H. Schindler

1. Vincenti G, Quercioli A, Zaïdi H, Nkoulou R, Dewarrat S, Rager O, Ambrosio G, Seimbille Y, Mach F, Ratib O, **Schindler TH**. Combined evaluation of myocardial perfusion and coronary morphology in the identification of subclinical CAD. Radiation exposure of ¹³N-ammonia PET/CT. *Nuklearmedizin*. 2010;49(5):173-82.
2. Valenta I, Quercioli A, Vincenti G, Nkoulou R, Dewarrat S, Rager O, Zaidi H, Seimbille Y, Mach F, Ratib O, **Schindler TH**. Structural epicardial disease and microvascular function are determinants of an abnormal longitudinal myocardial blood flow difference in cardiovascular risk individuals as determined with PET/CT. *J Nucl Cardiol*. 2010 Dec;17(6):1023-33
3. Ghafarian P, Aghamiri SM, Ay MR, Fallahi B, Rahmim A, **Schindler TH**, Ratib O, Zaidi H. Coronary calcium score scan-based attenuation correction in cardiovascular PET imaging. *Nucl Med Commun*. 2010 Sep;31(9):780-7.
4. **Schindler TH**, Schelbert HR, Quercioli A, Dilsizian V. Cardiac PET imaging for the detection and monitoring of coronary artery disease and microvascular health. *JACC Cardiovasc Imaging*. 2010 Jun;3(6):623-40.
5. **Schindler TH**. Adapting the contrast material protocol to the body surface area for an optimized low-dose CT coronary angiography with prospective ECG-triggering: a new evolving concept? *Int J Cardiovasc Imaging*. 2010 Jun;26(5):599-600.

Dr. T.H. Schindler

1. **Müller H**, Burri H, Gentil P, Lerch R, Shah D. Measurement of left atrial volume in patients undergoing ablation for atrial fibrillation: comparison of angiography and electro-anatomic (CARTO) mapping with real-time three-dimensional echocardiography. *Europace*. 2010 Jun;12(6):792-7.
2. **Müller H**, Frangos C, Fleury E, Righetti A, Lerch R, Burri H. Measurement of left ventricular ejection fraction by real time 3D echocardiography in patients with severe systolic dysfunction: comparison with radionuclide angiography. *Echocardiography*. 2010 Jan;27(1):58-63.
3. **Müller H**, Keller PF, Lerch R. "Pinball" in the left atrium. *Echocardiography*. 2010 Mar;27(3):354-5.
4. **Müller H**, Kalangos A, Fassa AA, Lerch R. Isolated cleft mitral valve with posterior and anterior clefts: a rare cause of congenital valve regurgitation. *Echocardiography*. 2010 May;27(5):E50-2.
5. **Müller H**, Willi JP, Lerch R. Non-infectious large vessel vasculitis of the aorta: diagnosis by echocardiography and cardiac positron emission tomography-computed tomography. *Eur Heart J*. 2010 Sep;31(18):2245.
6. Pektok E, Sierra J, Cikirikcioglu M, **Müller H**, Myers PO, Kalangos A. Midterm results of valve repair with a biodegradable annuloplasty ring for acute endocarditis. *Ann Thorac Surg*. 2010 Apr;89(4):1180-5.
7. **Müller H**, Cikirikcioglu M, Lerch R. Isolated posterior mitral valve cleft: diagnosis by real-time three-dimensional transoesophageal echocardiography. *Eur J Echocardiogr*. 2010 Aug;11(7):E29.
8. Peyrou J, Lerch R, **Müller H**. Silent embolization of a large left ventricular thrombus. *Arch Cardiovasc Dis*. 2010 Jan;103(1):59-60.

Dr. R. Bonvini

1. **Bonvini RF**, Roffi M. Tools & techniques: aortoiliac and common femoral endovascular interventions. *EuroIntervention*. 2010 Jun;6(2):288-9.
2. **Bonvini RF**, Roffi M. [Endovascular treatment of below the knee arteries in critical limb ischemia]. *Rev Med Suisse*. 2010 Jun 2;6(251):1146-8, 1150-3.
3. **Bonvini RF**, Righini M, Roffi M. Angiojet rheolytic thrombectomy in massive pulmonary embolism: locally efficacious but systemically deleterious? *J Vasc Interv Radiol*. 2010 Nov;21(11):1774-6; author reply 1776-7.
4. **Bonvini RF**, Werner KD, Buettner HJ, Buergelin KH, Zeller T. Retrieval of lost coronary guidewires during challenging percutaneous coronary interventions. *Cardiovasc Revasc Med*. 2010 Oct-Dec;11(4):262.e7-10.
5. Fontana P, **Bonvini RF**, Roffi M, Boehlen F, Reber G, de Moerloose P, Reny JL. *Rev Med Suisse*. 2010 Feb 10;6(235):302-5. [Evaluating the biological efficacy of clopidogrel: genotype or phenotype?]. *Rev Med Suisse*. 2010 Feb 10;6(235):302-5.
6. **Bonvini RF**, Sztajzel R, Dorsaz PA, Righini M, Bonvin C, Alibegovic J, Sigwart U, Camenzind E, Verin V, Sztajzel J. Incidence of atrial fibrillation after percutaneous closure of patent foramen ovale and small atrial septal defects in patients presenting with cryptogenic stroke. *Int J Stroke*. 2010 Feb;5(1):4-9.

Dr. S. Noble

1. **Noble S**, Ibrahim R, Basmadjian A, Müller H, Lerch R, Roffi M. [Paravalvular leak following surgical valve replacement: is there a role for percutaneous paravalvular leak reduction?]. *Rev Med Suisse*. 2010 Jun 2;6(251):1154-8.
2. Berry C, **Noble S**, Ibrahim R, Grégoire J, Levesque S, L'allier PL, Tardif JC. Remodeling is a more important determinant of lumen size than atheroma burden in left main coronary artery disease. *Am Heart J*. 2010 Jul;160(1):188-194.e1.
3. Arzamendi D, Bilodeau L, Ibrahim R, **Noble S**, Gallo R, Lavoie-L'allier P, Gosselin G, Deguise P, Ly H, Tanguay JF, Doucet S. Role of rheolytic thrombectomy in massive pulmonary embolism with contraindication to systemic thrombolytic therapy. *EuroIntervention*. 2010 Jan;5(6):716-21.

Dr. P. Meyer

1. **Meyer P**, Kayser B, Kossovsky MP, Sigaud P, Carballo D, Keller PF, Martin XE, Farpour-Lambert N, Pichard C, Mach F. Stairs instead of elevators at workplace: cardioprotective effects of a pragmatic intervention. *Eur J Cardiovasc Prev Rehabil*. 2010 Oct;17(5):569-75.
2. **Meyer P**, Gayda M, Normandin E, Guiraud T, Juneau M, Nigam A. "High-intensity interval training may reduce in-stent restenosis following percutaneous coronary intervention with stent implantation: A randomized controlled trial evaluating the relationship to endothelial function and inflammation." *Am Heart J* 2009;158:734-41. *Am Heart J*. 2010 Mar;159(3):e21.
3. **Meyer P**, Guiraud T, Curnier D, Juneau M, Gayda M, Nozza A, Nigam A. Exposure to extreme cold lowers the ischemic threshold in coronary artery disease patients. *Can J Cardiol*. 2010 Feb;26(2):e50-3.
4. **Meyer P**, Filippatos GS, Ahmed MI, Iskandrian AE, Bittner V, Perry GJ, White M, Aban IB, Mujib M, Dell'Italia LJ, Ahmed A. Effects of right ventricular ejection fraction on outcomes in chronic systolic heart failure. *Circulation*. 2010 Jan 19;121(2):252-8.
5. Guiraud T, Juneau M, Nigam A, Gayda M, **Meyer P**, Mekary S, Paillard F, Bosquet L. Optimization of high intensity interval exercise in coronary heart disease. *Eur J Appl Physiol*. 2010 Mar;108(4):733-40.
6. **Meyer P**, Guiraud T, Gayda M, Juneau M, Bosquet L, Nigam A. High-intensity aerobic interval training in a patient with stable angina pectoris. *Am J Phys Med Rehabil*. 2010 Jan;89(1):83-6.

Dr. T Stampfl

None.

Dr. J Bouchardy

1. Bernier M, Marelli AJ, Pilote L, **Bouchardy J**, Bottega N, Martucci G, Therrien J. Atrial arrhythmias in adult patients with right- versus left-sided congenital heart disease anomalies. *Am J Cardiol.* 2010 Aug 15;106(4):547-51.

Dr. L Sekoranja

1. Viallon M, Altrichter S, Pereira VM, Nguyen D, **Sekoranja L**, Federspiel A, Kulcsar Z, Sztajzel R, Ouared R, Bonvin C, Pfeuffer J, Lövblad KO. Combined use of pulsed arterial spin-labeling and susceptibility-weighted imaging in stroke at 3T. *Eur Neurol.* 2010;64(5):286-96.
2. Bonvin C, Momjian-Mayor I, **Sekoranja L**, Lövblad KO, Altrichter S, Yilmaz H, Pereira VM, Loulidi J, Comelli M, Burkhard PR, Sztajzel RF. Stroke severity and residual flow determined by transcranial colour-coded ultrasound (TCCD) predict recanalization and clinical outcome during thrombolysis. *J Neurol Sci.* 2010 Sep 15;296(1-2):96-100.
3. Fluri F, Hatz F, Rutgers MP, Georgiadis D, **Sekoranja L**, Schwegler G, Sarikaya H, Weder B, Müller F, Lüthy R, Arnold M, Reichhart M, Mattle HP, Tettenborn B, Nedeltchev K, Hungerbühler HJ, Sztajzel R, Baumgartner RW, Michel P, Lyrer PA, Engelter ST. Intravenous thrombolysis in patients with stroke attributable to small artery occlusion. *Eur J Neurol.* 2010 Aug;17(8):1054-60.

Dr. D. Carballo

1. **Carballo D**, Auer R, Carballo S, Windecker S, Matter C, Luscher T, Vogt P, Perneger T, Mach F, Rodondi N, Keller PF; SPUM-ACS. [A Swiss multicentric project to improve the prevention of cardiovascular event recurrence after acute coronary syndromes]. Rev Med Suisse. 2010 Mar 10;6(239):518, 520-2, 524.
2. Darioli V, **Carballo D**, Carballo S. Rev Med Suisse. 2010 Oct 20;6(267):1957-60, 1962. [Customized management of pericarditis].

Prof. BR. Kwak

1. Morel S, Burnier L, Roatti A, Chassot A, Roth I, Sutter E, Galan K, Pfenniger A, Chanson M, **Kwak BR**. Unexpected role for the human Cx37 C1019T polymorphism in tumour cell proliferation. *Carcinogenesis*. 2010 Nov;31(11):1922-31.
2. Pfenniger A, Derouette JP, Verma V, Lin X, Foglia B, Coombs W, Roth I, Satta N, Dunoyer-Geindre S, Sorgen P, Taffet S, **Kwak BR**, Delmar M. Gap junction protein Cx37 interacts with endothelial nitric oxide synthase in endothelial cells. *Arterioscler Thromb Vasc Biol*. 2010 Apr;30(4):827-34.
3. Chadjichristos CE, Scheckenbach KE, van Veen TA, Richani S, Sarriddine MZ, de Wit C, Yang Z, Roth I, Bacchetta M, Viswambharan H, Foglia B, Dudez T, van Kempen MJ, Coenjaerts FE, Miquerol L, Deutsch U, Jongsma HJ, Chanson M, **Kwak BR**. Endothelial-specific deletion of connexin40 promotes atherosclerosis by increasing CD73-dependent leukocyte adhesion. *Circulation*. 2010 Jan 5;121(1):123-31.

Dr. C.Montessuit

1. Braunersreuther V, Pellieux C, Pelli G, Burger F, Steffens S, **Montessuit C**, Weber C, Proudfoot A, Mach F, Arnaud C. Chemokine CCL5/RANTES inhibition reduces myocardial reperfusion injury in atherosclerotic mice. *J Mol Cell Cardiol.* 2010 Apr;48(4):789-98.

Dr. S. Steffens

1. Thomas A, Déglon J, Lenglet S, Mach F, Mangin P, Wolfender JL, Steffens S, Staub C. High-throughput phospholipidic fingerprinting by online desorption of dried spots and quadrupole-linear ion trap mass spectrometry: evaluation of atherosclerosis biomarkers in mouse plasma. *Anal Chem.* 2010 Aug 1;82(15):6687-94.

Dr. F Montecucco

1. Vuilleumier N, Pagano S, Bas S, **Montecucco F**, Guerne PA, Finckh A, Lovis C, Mach F, Hochstrasser D, Poux-Lombard P, Gabay C. Anti-Apolipoprotein A-1 IgG predict major cardiovascular events in patients with rheumatoid arthritis. *Arthritis Rheum.* 2010;62:2640-50.
2. **Montecucco F**, Lenglet S, Braunersreuther V, Pelli G, Pellieux C, Montessuit C, Lerch R, Deruaz M, Proudfoot AE, Mach F. Single administration of the CXC chemokine-binding protein Evasin-3 during ischemia prevents myocardial reperfusion injury in mice. *Arterioscler Thromb Vasc Biol.* 2010;30:1371-7.
3. **Montecucco F**, Lenglet S, Gayet-Ageron A, Bertolotto M, Pelli G; Palombo D, Pane B, Spinella G, Steffens S, Raffaghello L, Pistoia V, Ottonello L, Pende A, Dallegri F, Mach F. Systemic and intraplaque mediators of inflammation are increased in patients symptomatic for ischemic stroke. *Stroke.* 2010;41:1394-1404.
4. **Montecucco F**, Quercioli A, Dallegri F, Viviani GL, Mach F. New evidence for nicotinic acid treatment to reduce atherosclerosis. *Expert Rev Cardiovasc Ther.* 2010;8:1457-1467.
5. Quercioli A, Mach F, **Montecucco F**. Inflammation accelerates atherosclerotic processes in obstructive sleep apnea syndrome (OSAS). *Sleep Breath.* 2010;14:261-269.
6. Quercioli A, **Montecucco F**, Bertolotto M, Ottonello L, Pende A, Mach F, Dallegri F. Coronary artery calcification and cardiovascular risk: the role of RANKL/OPG signalling. *Eur J Clin Invest.* 2010;40:645-654.
7. Quercioli A, Mach F, **Montecucco F**. Novel Treatment Strategy with direct renin inhibition against heart failure. *Panminerva Med.* 2010;52:41-51.
8. Quercioli A, Viviani GL, Dallegri F, Mach F, **Montecucco F**. RANKL/OPG pathway is a promising target to reduce atherosclerotic plaque calcification. *Crit Pathw Cardiol.* 2010 9:227-230.
9. **Montecucco F**, Quercioli A, Mach F. Role of neutrophils in acute myocardial infarction. Handbook entitled "Neutrophils: Lifespan, Functions and Role in diseases." Nova Science Publishers, 2010, Chapter 13:351-360.

Dr. GB Ehret

1. **Ehret GB**, Pechère-Bertschi A. [Resistant hypertension]. *Rev Med Suisse*. 2010 Sep 15;6(262):1721-2, 1724-7.
2. Meyer TE, Verwoert GC, Hwang SJ, Glazer NL, Smith AV, van Rooij FJ, **Ehret GB**, Boerwinkle E, Felix JF, Leak TS, Harris TB, Yang Q, Dehghan A, Aspelund T, Katz R, Homuth G, Kocher T, Rettig R, Ried JS, Gieger C, Prucha H, Pfeufer A, Meitinger T, Coresh J, Hofman A, Sarnak MJ, Chen YD, Uitterlinden AG, Chakravarti A, Psaty BM, van Duijn CM, Kao WH, Witteman JC, Gudnason V, Siscovick DS, Fox CS, Köttgen A; Genetic Factors for Osteoporosis Consortium; Meta Analysis of Glucose and Insulin Related Traits Consortium. Genome-wide association studies of serum magnesium, potassium, and sodium concentrations identify six Loci influencing serum magnesium levels. *PLoS Genet*. 2010 Aug 5;6(8). pii: e1001045.
3. **Ehret GB**. Genome-wide association studies: contribution of genomics to understanding blood pressure and essential hypertension. *Curr Hypertens Rep*. 2010 Feb;12(1):17-25.
4. Ellinor PT, Lunetta KL, Glazer NL, Pfeufer A, Alonso A, Chung MK, Sinner MF, de Bakker PI, Mueller M, Lubitz SA, Fox E, Darbar D, Smith NL, Smith JD, Schnabel RB, Soliman EZ, Rice KM, Van Wagoner DR, Beckmann BM, van Noord C, Wang K, **Ehret GB**, Rotter JI, Hazen SL, Steinbeck G, Smith AV, Launer LJ, Harris TB, Makino S, Nelis M, Milan DJ, Perz S, Esko T, Köttgen A, Moebus S, Newton-Cheh C, Li M, Möhlenkamp S, Wang TJ, Kao WH, Vasani RS, Nöthen MM, MacRae CA, Stricker BH, Hofman A, Uitterlinden AG, Levy D, Boerwinkle E, Metspalu A, Topol EJ, Chakravarti A, Gudnason V, Psaty BM, Roden DM, Meitinger T, Wichmann HE, Witteman JC, Barnard J, Arking DE, Benjamin EJ, Heckbert SR, Kääb S. Common variants in KCNN3 are associated with lone atrial fibrillation. *Nat Genet*. 2010 Mar;42(3):240-4.
5. Pfeufer A, van Noord C, Marcianti KD, Arking DE, Larson MG, Smith AV, Tarasov KV, Müller M, Sotoodehnia N, Sinner MF, Verwoert GC, Li M, Kao WH, Köttgen A, Coresh J, Bis JC, Psaty BM, Rice K, Rotter JI, Rivadeneira F, Hofman A, Kors JA, Stricker BH, Uitterlinden AG, van Duijn CM, Beckmann BM, Sauter W, Gieger C, Lubitz SA, Newton-Cheh C, Wang TJ, Magnani JW, Schnabel RB, Chung MK, Barnard J, Smith JD, Van Wagoner DR, Vasani RS, Aspelund T, Eiriksdottir G, Harris TB, Launer LJ, Najjar SS, Lakatta E, Schlessinger D, Uda M, Abecasis GR, Müller-Myhsok B, **Ehret**

- GB**, Boerwinkle E, Chakravarti A, Soliman EZ, Lunetta KL, Perz S, Wichmann HE, Meitinger T, Levy D, Gudnason V, Ellinor PT, Sanna S, Kääb S, Witteman JC, Alonso A, Benjamin EJ, Heckbert SR. Genome-wide association study of PR interval. *Nat Genet.* 2010 Feb;42(2):153-9.
6. North KE, Franceschini N, Avery CL, Baird L, Graff M, Leppert M, Chung JH, Zhang J, Hanis C, Boerwinkle E, Volcik KA, Grove ML, Mosley TH, Gu C, Heiss G, Pankow JS, Couper DJ, Ballantyne CM, Linda Kao WH, Weder AB, Cooper RS, **Ehret GB**, O'Connor AA, Chakravarti A, Hunt SC. Variation in the checkpoint kinase 2 gene is associated with type 2 diabetes in multiple populations. *Acta Diabetol.* 2010 Dec;47(Suppl 1):199-207.